


## Artikel Nr.: 930128

Zubehör, Abdeckung silber grau rund für Light Base COB Indoor (563000), Verkehrsgrau A RAL 7042

### Technische Daten

#### Charakteristik

<b>Material</b>	Aluminium
<b>Farbe</b>	Verkehrsgrau A RAL 7042
<b>Optik</b>	
<b>im Lieferumfang</b>	



#### Elektrische Daten

<b>Leistung</b>	
<b>Eingangsspannung</b>	
<b>Eingangsstrom</b>	
<b>Fassung / Sockel</b>	
<b>Anzahl Sockel</b>	
<b>Netzgerät</b>	
<b>Anschlussmöglichkeit</b>	
<b>Schutzklasse I, II, III</b>	



**Artikel Nr.: 930128**


Zubehör, Abdeckung silber grau rund für Light Base COB Indoor (563000), Verkehrsgrau A RAL 7042

**Lichtrichtung**

Dreh- und Schwenkbereich	
Neigungswinkel	
Abstrahlverhalten	
Reflektor / Linse	

**Abmessungen und Gewicht**

Länge	85,00
Breite	85,00
Höhe	25,00
Durchmesser	0,00
Gewicht	24 g



**Grenzwerte**

Betriebstemperatur	
Lagertemperatur	
IP - Schutzart	IP20


**IP20** Schutz gegen das Eindringen von Fremdkörper > 50 mm. Kein Schutz gegen das Eindringen von Wasser.



Aufgrund des komplexen Herstellungsprozesses von LED stellen die angegebenen Werte nur rein statistische Größen dar und müssen nicht zwingend den tatsächlichen Parametern jedes einzelnen LED-Moduls entsprechen, sondern können von den typischen Werten abweichen.

## Article no.: 930128

accessory / spare part, Cover silver gray round for Light Base COB Indoor (563000), Traffic grey A RAL 7042



### Technical Data

#### General Characteristics

<b>Material</b>	aluminum
<b>Colour</b>	Traffic grey A RAL 7042
<b>Optics</b>	
<b>included in delivery</b>	

#### Electrical Characteristics

<b>Power</b>	
<b>Input Voltage</b>	
<b>Input current</b>	
<b>Base (standard designation)</b>	
<b>Number of Bases</b>	
<b>Power supply unit</b>	
<b>Connection possibility</b>	
<b>Protection class I, II, III</b>	



**Article no.: 930128**


accessory / spare part, Cover silver gray round for Light Base COB Indoor (563000), Traffic grey A RAL 7042

**Light Direction**

Rotating and tilting range	
Angle of inclination	
Radiation direction	
Reflector / lense	

**Dimensions & Weight**

Length	85,00
Width	85,00
Height	25,00
Diameter	0,00
Product Weight	24 g



**Absolute maximum ratings**

Working temperature	
Storage temperature	
IP - Code	IP20

**IP20** Protection against penetration of foreign objects > 50 mm. No protection against penetration of water.



Because of the complex manufacturing process of the LED the above shown data are just a statistical size, which is not forced to be the realistic data of every LED.