

Artikel Nr.: 000141

Netzgerät (CV, AC) dimmbar, ABN Transformator, DIM, CV, 11,5V AC, 150 W, IP67



IP 67 

Elektrische Daten

Betriebsart	Spannungskonstant	Eingangsspannung	220-240 V/AC 50 / 60 Hz
Leistung	86,0-150,0 W	Leistungsfaktor	
Ausgangsspannung	11,5 V/AC	Anschlußmöglichkeit	
Ausgangsstrom	7500-12500 mA		

Produkteigenschaften

 Schutzklasse I	 Überspannungsschutz
SELV Schutzkleinspannung	 Lampenbetriebsgerät 110
 Kurzschlußfest	 Möbeleinbau nicht geeignet
 Überlastschutz	ErP Standby-Stromverbrauch < 0,5 W
 Übertemperaturschutz	LVD Sicherheit nach EN 61347
 Sicherheitstrafo	EMC Funkentstörung + Störfestigkeit nach EN 55015 + EN 61547
 dimmbar - Phasenanschnittsdimmer	EMC Netzstromoberwellen + Flicker nach EN 61000-3-2 + EN 61000-3-3

Schwarze Felder sind zutreffend / graue Felder sind nicht zutreffend

Artikel Nr.: 000141

Netzgerät (CV, AC) dimmbar, ABN Transformator, DIM, CV, 11,5V AC, 150 W, IP67

Abmessungen und Gewicht		Grenzwerte	
Länge	130,00 mm	Betriebstemperatur	
Breite	93,00 mm	Gehäusetemperatur	
Höhe	78,00 mm	max. Menge Sicherungsautomaten	
Durchmesser	0,00 mm	max. Einschaltstrom	
Gewicht	2684 g	kapazitive Last	

Article No.: 000141

Power supply unit (CV, AC) dimmable, ABN transformer, DIM, CV, 11.5 V AC, 150 W, IP67



IP 67 

Electrical Characteristics

Operating mode	Constant voltage	Input voltage	220-240 V/AC 50 / 60 Hz
Power	86,0-150,0 W	Power factor	
Output voltage	11,5 V/AC	Connection possibility	
Output current	7500-12500 mA		

Product features

 Protection class I	 Overvoltage protection
 Low voltage protection	 Lamp control gear 110
 Short circuit protection	 Not suitable for furniture installation
 Overload protection	 Standby-power consumption < 0,5 W
 Overheating protection	 Safety according to EN 61347
 Safety transformer	 Interference suppression + immunity according to EN 55015 + EN 61547
 dimmable - Leading-edge dimmer	 Mains harmonics + flicker according to EN 61000-3-2 + EN 61000-3-3

Black fields are applicable / gray fields are not applicable

Article No.: 000141

Power supply unit (CV, AC) dimmable, ABN transformer, DIM, CV, 11.5 V AC, 150 W, IP67

Dimensions & Weight		Absolute maximum ratings	
Length	130,00 mm	Operating temperature	
Width	93,00 mm	Case temperature	
Height	78,00 mm	max. amount of circuit breakers	
Diameter	0,00 mm	max. inrush current	
Product weight	2684 g	capacitive load	