

Artikel Nr.: 862216

Netzgerät, SELF, DIM, CV 12V 12-75W



IP20

Elektrische Daten

Betriebsart	spannungskonstant	Eingangsspannung	220-240V AC/50-60Hz
Leistung	12,00-75,00 W	Leistungsfaktor	
Ausgangsspannung	12V DC	Anschlußmöglichkeit	Klemme
Ausgangsstrom	1000-6250 mA		

Produkteigenschaften

Schutzklasse II	Überspannungsschutz
Schutzkleinspannung	Lampenbetriebsgerät 110
Kurzschlußfest	Möbeleinbau nicht geeignet
Überlastschutz	ErP Standby-Stromverbrauch < 0,5 W
Übertemperaturschutz	LVD Sicherheit nach EN 61347
Sicherheitstrafo	EMC Funkentstörung + Störfestigkeit nach EN 55015 + EN 61547
dimmbar - Phasen-/abschnitt	EMC Netzstromoberwellen + Flicker nach EN 61000-3-2 + EN 61000-3-3

Schwarze Felder sind zutreffend / graue Felder sind nicht zutreffend

Artikel Nr.: 862216

Netzgerät, SELF, DIM, CV 12V 12-75W

Abmessungen und Gewicht

Grenzwerte

Länge	185,00 mm	Betriebstemperatur	
Breite	60,00 mm	Gehäusetemperatur	0 °C
Höhe	31,00 mm	max. Menge Sicherungsautomaten	
Durchmesser	0,00 mm	max. Einschaltstrom	
Gewicht	g	kapazitive Last	

Article No.: 862216

Power supply unit, SELF, DIM, CV 12V 12-75W

















IP20 CE

Electrical Characteristics

Operating mode	constant voltage	Input voltage	220-240V AC/50-60Hz
Power	12,00-75,00 W	Power factor	
Output voltage	12V DC	Connection possibility	clamp
Output current	1000-6250 mA		

Product features

 Protection class II	 Overvoltage protection
 Low voltage protection	 Lamp control gear 110
 Short circuit protection	 Not suitable for furniture installation
 Overload protection	 ErP Standby-power consumption < 0,5 W
 Overheating protection	 LVD Safety according to EN 61347
 Safety transformer	 EMC Interference suppression + immunity according to EN 55015 + EN 61547
 dimmable - leading/trailing edge	 EMC Mains harmonics + flicker according to EN 61000-3-2 + EN 61000-3-3

Black fields are applicable / gray fields are not applicable

Article No.: 862216

Power supply unit, SELF, DIM, CV 12V 12-75W

Dimensions & Weight**Absolute maximum ratings**

Length	185,00 mm	Operating temperature	
Width	60,00 mm	Case temperature	0 °C
Height	31,00 mm	max. amount of circuit breakers	
Diameter	0,00 mm	max. inrush current	
Product weight	g	capacitive load	